

	Type	Hits	Search Text	DBs
1	IS&R	1	("6168288").PN.	USPAT
2	IS&R	0	("batteriesand(manual\$4charg\$6)").PN	USPAT
3	BRS	17	S3 and (flashlight or (port\$6 (light or lamp)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	195	batteries and (manual\$4 charg\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	17	("1479592"   "2299762"   "2710936"   "3156813"   "3377201"   "3510745"   "3525912"   "3883789"   "3973179"   "4004208").PN.	US-PGPUB; USPAT; USOCR
6	BRS	20	("4360860").URPN.	USPAT
7	BRS	20	("4360860").URPN.	USPAT
8	BRS	20	("4360860").URPN.	USPAT
9	BRS	12721	gear with weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	148	gear with (weight with (recess or cavity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	371	gear with (weight increas\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	103	gear with (weight addition\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	68	gear with (weight attach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	361	S11 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	359	S14 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	356	S15 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	18	S16 and (increas\$4 with inertia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	501	((increas\$5 or addition\$5) weight) with (increas\$4 with inertia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	37	((increas\$5 or addition\$5) weight) with (increas\$4 with inertia) and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	55	S16 and inertia	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	(gear disc) with (weight attach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	1	(gear disc) with (weight (attach\$4 or addition\$4 or add\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	((gear disc) with recess with wieght)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
24	BRS	0	((gear disc) with recess with weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	((gear disc) with recess with weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	562	gear with (balanc\$5 weight )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	3	(gear disc) with (balanc\$5 weight )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	209	gear with (balanc\$5 weight ) and attach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	4	(gear disc) same (balanc\$5 weight )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	16	(gear disc) and (balanc\$5 weight )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	IS&R	5	((("3099402") or ("1576983") or ("2277897") or ("4360860") or ("2906143")).PN.	USPAT
32	IS&R	1	("4907474").PN.	USPAT
33	IS&R	0	("gear(discorplate)").PN.	USPAT
34	BRS	5816	gear (disc or plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1	S34 and (eccentric weight attach\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	1	S34 and (balanc\$5 weight attach\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	276	S34 and balanc\$4 and weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	21512	((cavity or recess\$4) with weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	26	S34 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	IS&R	1	("4916975").PN.	USPAT
41	IS&R	0	("(geardisc)withrecesswithweight").PN	USPAT
42	BRS	0	(gear disc) with recess with weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	(gear disc) with cavity with weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	8	(gear disc) and (cavity with weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	23	(gear disc) and (weight increas\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	(gear disc) balanc\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
47	BRS	13	(gear disc) with balanc\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	0	(gear disc) with (counter weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	6	(gear disc) same (weight with balanc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	3127	362/20,192,183,200-208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	1717	362/20,192,183,200-208.ccls. and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	384	362/20,192,183,200-208.ccls. and batter\$4 and recharg\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	71	362/20,192,183,200-208.ccls. and batter\$4 and recharg\$4 and manual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	0	362/20,192,183,200-208.ccls. and batter\$4 and recharg\$4 and (manual recharger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	57	362/20,192,183,200-208.ccls. and batter\$4 and recharg\$4 and generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	0	(gear disc) and acvity and (weight or filler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	2484	(gear disc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	30	(gear disc) and (moment with inertia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	IS&R	6	((("2482568") or ("32133711") or ("3918326") or ("4307630") or ("4449425") or ("5083626") or ("5878624"))).PN.	USPAT
60	BRS	6	("2033343"   "3540310"   "3960036"   "4282772").PN.	US-PGPUB; USPAT; USOCR
61	BRS	2	("4907474").URPN.	USPAT
62	BRS	315	flashlight and groove and rib	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	JP-01343047-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	JP-01343047 A1.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	2	JP-2001343047-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	3173	362/20,192,183,200-208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	1769	362/20,192,183,200-208.ccls. and batter\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
68	BRS	393	362/20,192,183,200-208.ccls. and (charg\$7 batter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	3	362/20,192,183,200-208.ccls. and (charg\$7 batter\$5) and (manual recharg\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	61	362/20,192,183,200-208.ccls. and (charg\$7 batter\$5) and generator and (light or flashlight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	64	362/20,192,183,200-208.ccls. and (charg\$7 batter\$5) and generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB